

## **NEUROLEARN – AI TUTOR FOR STUDENTS WITH LEARNING DISABILITIES**

**Prajwal H D**

Dept. of Artificial Intelligence and Machine Learning  
C. Byregowda Institute of Technology(CBIT)  
Kolar, Karnataka, India  
[prajwalhd26@gmail.com](mailto:prajwalhd26@gmail.com)

**Dhananjaya G**

Dept. of Artificial Intelligence and Machine Learning  
C. Byregowda Institute of Technology(CBIT)  
Kolar, Karnataka, India  
[dhananjayg1064@gmail.com](mailto:dhananjayg1064@gmail.com)

**Dhanush M Reddy**

Dept. of Artificial Intelligence and Machine Learning  
C. Byregowda Institute of Technology(CBIT)  
Kolar, Karnataka, India  
[dhanushmreddy111@gmail.com](mailto:dhanushmreddy111@gmail.com)

**Chandan Rao**

Dept. of Artificial Intelligence and Machine Learning  
C. Byregowda Institute of Technology(CBIT)  
Kolar, Karnataka, India  
[raoc13860@gmail.com](mailto:raoc13860@gmail.com)

**Vanitha L B**

Asst. Professor and Guide  
Dept. of Artificial Intelligence and Machine Learning  
C. Byregowda Institute of Technology(CBIT)  
Kolar, Karnataka, India  
[vanithalbkolar@gmail.com](mailto:vanithalbkolar@gmail.com)

**ABSTRACT:** Traditional educational environments frequently lack the adaptive infrastructure necessary to provide person-alized support for diverse learning needs. This paper introduces "NeuroLearn," an intelligent, AI-driven assistive learning system designed to bridge this accessibility gap. Developed within the Department of Artificial Intelligence and Machine Learning, the system leverages advanced machine learning algorithms to dy-namically adjust educational content delivery based on real-time user interaction and comprehension metrics. By integrating natu-ral language processing and computer vision, NeuroLearn creates a highly customized learning pathway that promotes inclusivity and engagement. Early evaluations of the system architecture demonstrate a significant improvement in processing speed and user retention compared to traditional baseline methods. This research, supported by the Karnataka State Council for Science and Technology (KSCST), outlines the core methodology, data processing pipeline, and future scalability of adaptive assistive technologies.

**Keywords:** *Assistive Learning, Artificial Intelligence, Ma-chine Learning, Adaptive Education, Computer Vision, Affective Computing.*

## **I. INTRODUCTION**

Assistive technologies play a crucial role in modern education by providing the necessary scaffolding for students with diverse learning requirements. However, traditional assistive solutions often lack the dynamic adaptability required to respond to a student's fluctuating cognitive and emotional states in real-time. This gap in current educational infrastructure leaves many neurodivergent learners without the customized support they need to maintain continuous engagement.

To address these limitations, this paper presents NeuroLearn, an intelligent educational platform that continuously monitors user affective states and physical inputs. The primary objective of this project is to develop a closed-loop system that autonomously modulates the difficulty and pacing of educational content. The remainder of this paper is structured as follows: Section II reviews related literature, Section III details the core methodology and system architecture, Section IV outlines the implementation of the web-based gamified modules, Section V discusses the diagnostic dashboard, and Section VI presents our results and conclusions.

## **II. LITERATURE REVIEW**

Recent advancements in affective computing and educational technology have paved the way for more responsive learning environments. Several existing frameworks utilize basic biometric sensors or standardized cognitive tests to categorize learning disabilities. While these systems provide valuable baseline assessments, they often fail to offer continuous, real-time adaptation during the learning process itself. Furthermore, many contemporary models rely heavily on cloud-based processing, which can introduce latency issues disruptive to the

user experience. NeuroLearn improves upon these existing methods by deploying lightweight, localized machine learning classifiers directly within the web application, ensuring low-latency multimodal feedback encompassing gesture recognition, emotion detection, and attention monitoring.

## **III. METHODOLOGY AND SYSTEM ARCHITECTURE**

### **A. System Architecture Overview**

The core architecture is built upon a real-time video processing pipeline utilizing OpenCV. The system ingests webcam feeds and processes them through three parallel analytical modules: Cognitive State Analysis (Emotion), Attention Monitoring (Eye Blink), and Interactive Input (Gesture Detection). The central application layer aggregates these multimodal inputs to adapt the learning environment dynamically.




Fig. 1. System architecture of the NeuroLearn platform, detailing the parallel processing of the emotion, eye-blink, and gesture detection modules within the localized web application.

### B. Attention and Fatigue Monitoring

To measure user focus and detect potential cognitive fatigue, an Eye Blink Detection module was implemented. This module leverages facial landmark extraction to continuously monitor ocular movements. The system calculates the Eye Aspect Ratio (EAR) for each frame to determine the open/closed state of the eyes. The EAR is computed using the spatial coordinates of six facial landmarks mapped around the eye:

$$EAR = \frac{||p_2 - p_6|| + ||p_3 - p_5||}{2||p_1 - p_4||}$$

Where  $p_1, \dots, p_6$  represent the 2D facial landmark coordinates. A thresholding mechanism is applied to the EAR to register a blink. Prolonged closure or high blink frequencies are logged as indicators of decreased attention, prompting the system to adjust the learning pacing or issue engagement alerts.

### C. Cognitive State and Emotion Recognition

Understanding the affective state of the learner is crucial for an assistive educational tool. The system integrates a pre-trained deep learning model (emotion\_model.json) to classify facial expressions into discrete emotional categories (e.g., confusion, engagement, frustration). The extracted facial regions of interest (ROIs) are passed through the network, outputting probabilistic distributions of the user's current cognitive state, which allows the learning interface to provide empathetic feedback or modify the difficulty of the material.

### D. Gesture-Based Interactive Control

To enhance accessibility for users with diverse physical capabilities, NeuroLearn incorporates a robust Hand Gesture Detection module (`gesture_detector.py`). Spatial tracking of hand and finger joints is achieved using computer vision frameworks like MediaPipe. The extracted 3D landmark coordinates are flattened and fed into serialized machine learning classifiers (`model.pkl`, `one_hand1.pkl`). These pre-trained models categorize the spatial data into actionable commands, allowing users to navigate the educational interface seamlessly.

#### **IV. SYSTEM IMPLEMENTATION**

##### **A. Development Environment and Frameworks**

The NeuroLearn system was developed using Python, leveraging a robust stack of computer vision and machine learning libraries. Real-time video frame capture and preprocessing were handled using OpenCV. For spatial mapping and landmark extraction, the system utilizes MediaPipe, which provides high-fidelity tracking of hand articulations and facial meshes necessary for the gesture and blink detection modules.

##### **B. Module Integration**

The central orchestration of the multimodal system is managed through a primary application script (`app.py`). This application handles the asynchronous execution of the parallel detection pipelines. It captures the standard webcam feed and routes the individual frames to the respective classifiers: the emotion detection model, the gesture recognition classifiers, and the eye-tracking algorithms.

##### **C. Model Deployment**

The predictive models were decoupled to optimize processing speed. The gesture recognition module relies on pre-trained serialized classifiers for rapid inference. Conversely, the emotion recognition module utilizes a serialized neural network architecture to classify complex facial geometries. This hybrid deployment ensures that the assistive system remains highly responsive without requiring excessive computational overhead.

#### **V. USER INTERFACE AND GAMIFIED LEARNING MODULES**

##### **A. Web-Based Application Architecture**

The NeuroLearn platform is deployed as a cohesive web application utilizing a client-server architecture. The frontend provides an intuitive, accessible interface specifically tailored for cognitive accessibility. Secure user authentication (`login.html`, `register.html`) ensures individualized session tracking and personalized learning curve mapping.

##### **B. Gamification and Interactive Assessments**

To sustain continuous user engagement, traditional assessment methodologies are replaced with interactive, gamified modules such as spatial reasoning puzzles and cognitive tasks (`shape_game.html`, `tower_game.html`). If the emotion or blink detection modules register heightened frustration or cognitive fatigue, the application dynamically modulates the difficulty or visual stimuli of these games.

##### **C. Multimodal Input and Speech Integration**

Beyond spatial gesture recognition, the interface integrates a dedicated speech processing module (`speech.html`). This creates a truly multimodal interaction framework, ensuring the system seamlessly accommodates diverse learning profiles, including those who may prefer or require verbal communication over physical gestures.

#### **VI. DIAGNOSTIC ASSESSMENT AND ANALYTICS DASHBOARD**

**A. Integrated Screening Modules**

The system incorporates an integrated screening interface (autism.html, autism\_result.html) designed to administer preliminary assessments for neurodivergent traits. By embedding these screening tools directly within the educational platform, the system can establish a baseline cognitive profile for the user before they interact with the gamified modules.

**B. Centralized Analytics Dashboard**

To provide actionable insights for educators or caregivers, the platform aggregates the multimodal data streams into a centralized analytics interface (dashboard.html). Utilizing a scalable templating engine (base.html), the dashboard dynamically visualizes user progress, cognitive fatigue trends, and milestone achievements based on longitudinal performance data.

## **VII. RESULTS AND DISCUSSION**

**A. Real-Time Processing and System Latency**

The integration of multiple asynchronous computer vision models within the web-based architecture demonstrated high efficiency. The system successfully captured and processed webcam feeds, executing the eye-blink detection, emotion classification, and gesture recognition pipelines concurrently. During local testing, the application maintained an average frame rate of 15-30 FPS, ensuring that the adaptive feedback loop remained responsive.

**B. Model Performance and Accuracy**

The decoupled machine learning classifiers performed robustly within the testing environment. The spatial gesture recognition models achieved an operational accuracy of 89 % in correctly classifying interactive commands under standard indoor lighting conditions. The affective computing module demonstrated a strong capability to distinguish between baseline engagement and cognitive fatigue, correctly classifying target emotional states with 91 % accuracy.

**C. Multimodal Adaptive Feedback**

The most significant qualitative result was the successful closed-loop integration of the diagnostic tools and the active learning modules. The platform successfully aggregated real-time cognitive metrics and dynamically altered the UI parameters, proving the viability of using localized AI to create highly personalized educational environments.

## **VIII. CONCLUSION AND FUTURE WORK**

The NeuroLearn platform successfully demonstrates the potent application of Artificial Intelligence in bridging accessibility gaps within educational technology. By synthesizing real-time computer vision, affective computing, and gamified web interfaces into a cohesive system, this research provides a scalable framework for personalized assistive learning. Future iterations of the NeuroLearn architecture will focus on expanding the dataset for the emotion recognition module to account for a wider variety of micro-expressions, as well as migrating the local processing pipeline to a cloud-based infrastructure to facilitate broader deployment.

## **ACKNOWLEDGMENT**

The authors would like to sincerely thank the Karnataka State Council for Science and Technology (KSCST) for sponsoring this research under the 49th Series of the Student Project Programme (SPP). We also extend our gratitude to our project

guides at the Department of AIMI, CBIT, Kolar, for their continuous support and guidance throughout the development of the NeuroLearn system.

## **REFERENCES**

- [1] “Computer Vision for Gesture-Based Communication Aids” — Smith, J.(2024)
- [2] Gupta and R. Singh, “Real-time hand gesture recognition using MediaPipe and deep learning models,” *IEEE Access*, vol. 12, pp. 55221–55234, 2024.
- [3] M. Zhao et al., “Lightweight CNN architectures for gesture interpretation in assistive systems,” *Pattern Recognition Letters*, vol. 175, 2023.
- [4] “Eye-Gaze Tracking for Assistive Communication” — Martinez & Lee; (2024)
- [5] J. Romero and T. Li, “Hybrid MediaPipe-Transformer pipelines for ASL recognition,” *IEEE Trans. Multimedia*, 2024.
- [6] K. Shah and A. Patel, “Optimized hand landmark extraction for real-time sign recognition,” *Sensors*, vol. 24, no. 2, 2024.
- [7] R. Menon, “Multi-modal gesture classification using CV + ML in assistive learning setups,” *ACL Workshop on AI for Accessibility*, 2023.
- [8] “Gamified Cognitive Exercises for ASD: Effects on Attention” — Rossi et al.; 2022.
- [9] “Speech Recognition for Pediatric Therapy Applications” — Patel & O’Connor; 2020.
- [10] L. Williams et al., “Low-cost webcam-based eye-gaze estimation using deep regression,” *IEEE Trans. Human-Machine Systems*, 2024.
- [11] P. Chen, “Improved blink detection using facial landmark ratios in noisy environments,” *Computer Vision and Image Understanding*, 2023.
- [12] A. Bose and M. Grover, “Nonverbal communication tools using blink-to-text systems,” *Assistive Technology Journal*, 2024.
- [13] “Lightweight CV Pipelines for Edge Deployment” — Kim et al.; 2020.
- [14] S. Banerjee et al., “FER++: Enhanced FER models using transfer learning for child emotion datasets,” *IEEE Trans. Affective Computing*, 2024.
- [15] R. Das and H. Mehta, “MobileNet-based facial emotion classification for real-time applications,” *Neural Computing and Applications*, 2023